

Kölner Classic Zaponlack GL Spray

Processing instructions

Intended use

Kölner Classic Zaponlack GL Spray is a clear, non-yellowing protective coating designed for use on gold leaf, silver, and imitation metal leaf surfaces.

Features

- Provides protection against oxidation on imitation metal leaf, copper, and silver.
- good weather and scratch resistance
- High UV-protection
- Non-yellowing, lightfast

Specification

Gloss degree:	glossy
VOC-regulation:	EU limit value for this product (cat. B/e): 840 g/l This product contains max. 700 g/l of VOC.
Storage	Can be stored for 2 years in cool and dry places.

Processing instructions

Processing conditions

From + 10 °C temperature and up to 80 % relative air humidity

Drying times at 20 °C

Dust dry after approx.	5-10 min
Set to touch after approx.	20-30 min
Ready for assembly after approx.	2 h

Suitable substrates

Gold leaf, silver leaf, imitation metal leaf, Aluminium, copper, brass,

Surface preparation

clean, dry, free of grease



Preparation

Before use, shake can vigorously for 1 - 2



Do not subject the can to high mechanical stress!




Kölner Classic Zaponlack GL Spray



Application

Spray to test - spray distance approx. 20 - 30 cm
2 - 3 coats, dry film thickness 40 - 50 μm



Flash-off time

3 - 5 min between coats



After use

After use, turn can upside down and spray until the valve is clean,
this prevents the valve from clogging up.

Recommendations for end-use

Kölner Classic Zaponlack GL Spray should always be tested on a test surface prior to application.

